

Test Report No. SDHG1603003929FB Date: Apr.08, 2016 Page 1 of 5

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description : PE PIPE INSULATION Style / Item No. : 36*6MM INSULATION

Manufacturer Buyer Supplier

Country of Destination : CHINA JAPAN EU USA

Sample Receiving Date : Mar.28, 2016

Test Performing Date : Mar.28, 2016 to Apr.08, 2016

Test Result Summary

Test(s) Requested	Result(s)
EN 13501-1:2007+A1:2009	Classification: B _L −s1, d0
Summary:	•
1. For further details, please refer to the following page(s).	

Signed for and on behalf of Shunde Branch SGS-CSTC Co., Ltd.

Kevin Pan

Approved signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sore responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com

11F,1⁴ Building,European Industrial Park, No. 1 Shumharan Road, Wusha Section, Dallarg Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn 中国·广东·佛山市原德区大良街道办事处五沙颇和南裔1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805888 e sgs.china@sgs.com



Test Report

No. SDHG1603003929FB

Date: Apr.08, 2016

Page 2 of 5

TESTS AND RESULTS

Test Conducted:

This test is conducted as per EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests, Class B_L. And the test methods as following:

- 1. EN 13823:2010 Reaction to fire tests for building products Building products excluding floorings exposed to the thermal attack by a single burning item.
- 2. EN ISO 11925-2:2010 Reaction to fire tests Ignitability of building products subjected to direct impingement of flame Part 2: Single-flame source test.

Mounting and fixing (For EN 13823):

The test specimens are attached to the steel tube at a distance of 25mm from the backing board, There is distance of 25mm between each test specimen outside.

Test Results:

Test method	<u>Parameter</u>	Number of tests	<u>Results</u>	
	FIGRA _{0.2MJ} (W/s)		113.0	
	THR _{600s} (MJ)		5.5	
EN 13823	SMOGRA (m²/s²)	3	5.6	
LN 13023	TSP _{600s} (m ²)	3	31.2	
	LFS < edge of specimen		Yes	
	Flaming particles or droplets		No	
EN ISO 11925-2	<i>F</i> s ≤ 150 mm	6	Yes	
Exposure = 30 s	Ignition of the filter paper	0	No	

Remark:

FIGRA — Fire growth rate index used for classification purposes [W/s] For the classes A2_L and B_L, FIGRA_{0.2}MJ For the classes C_L and D_L, FIGRA_{0.4}MJ LFS — Lateral flame spread [m] THR_{600s} –Total heat release within 600 s [MJ] SMOGRA –Smoke growth rate [m²/s²] TSP_{600s} –Total smoke production within 600 s [m²]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

| 16.ft[®] Building European Industrial Park,No.f. Strumberan Road, Wustra Section, Dalaing Town, Strunde, Fostran, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn 中国・广东・侍山市原籍区大良街道办事处五沙版和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com



Test Report

No. SDHG1603003929FB

Date: Apr.08, 2016

Page 3 of 5

Classification and direct field of application:

This classification has been carried out in accordance with EN 13501-1:2007+A1:2009.

Classification:

The product, "PE PIPE INSULATION", classification is as following,

Fire behaviour		Smoke production			Flaming droplets	
BL	_	S	1	,	d	0

Reaction to fire classification: BL - s1, d0

Remark:

The classes with their corresponding fire performance are given in annex A.

Reaction to fire classification is based on the 7-step scale of A1_L to F_L, where A1_L is good and F_L is bad

Statement:

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

Warning:

This classification report does not represent type approval or certification of the product.

The test laboratory has, therefore, play no part in sampling the product for the test, although it holds appropriate references to the manufacturer's factory production control that is aimed to be relevant to the samples tested and that will provide for their traceability.

Annex A

Table 3 — Classes of reaction to fire performance for linear pipe thermal insulation products

Class	Test method(s)		Classification criteria	Additional classification
	EN ISO 1182 a and A1L EN ISO 1716		△ <i>T</i> ≤30°C, and △ <i>m</i> ≤50%, and t _f =0(i.e. no sustained flaming)	-
A1L			PCS≤2.0MJ/kg ^a and PCS≤2.0MJ/kg ^b and PCS≤1.4MJ/m ^{2 c} and PCS≤2.0MJ/kg ^d	-
A2L	EN ISO 1182 a or		<i>∆ T</i> ≤50 °C , and <i>∆ m</i> ≤50%, and t _f ≤20 s	-
	EN ISO 1716	and	PCS≤3.0MJ/kg ^a and PCS≤4.0MJ/m ² ^b and PCS≤4.0MJ/m ² ^c and PCS≤3.0MJ/kg ^d	-
	EN 13823		FIGRA≤270W/s and LFS <edge and<br="" of="" specimen="">THR_{600s}≤7.5MJ</edge>	Smoke production ^e and Flaming droplets/particles ^f



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

| 16.ft[®] Building European Industrial Park,No.f. Strumberan Road, Wustra Section, Dalaing Town, Strunde, Fostran, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn 中国・广东・侍山市原籍区大良街道办事处五沙版和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com



Test Report No. SDHG1603003929FB Date: Apr.08, 2016 Page 4 of 5

			·	
B∟	EN 13823 and	FIGRA≤270W/s and LFS <edge and<br="" of="" specimen="">THR_{600s}≤7.5MJ</edge>	Smoke production ^e and Flaming droplets/particles ^f	
	EN ISO 11925-2 h Exposure =30s	<i>F</i> s≤150mm within 60 s		
CL	EN 13823 and	FIGRA≤460W/s and LFS <edge and<br="" of="" specimen="">THR_{600s}≤15MJ</edge>	Smoke production e and	
	EN ISO 11925-2 h Exposure=30s	<i>F</i> s≤150mm within 60 s	Flaming droplets/particles f	
D∟	EN 13823 and	FIGRA≤2100W/s	Smoke production ^e and Flaming droplets/particles ^f	
	EN ISO 11925-2 h Exposure=30s	Fs≤150mm within 60 s		
EL	EN ISO 11925-2 h Exposure =15s	Fs≤150mm within 20 s	flaming droplets/particles h	
FL	No performance determined			

^a For homogeneous products and substantial components of non-homogeneous products.

d1 = no flaming droplets/ particles persisting longer than 10 s in EN 13823 within 600 s;

d2 = not d0 or d1.

Ignition of the paper in EN ISO 11925-2 results in a d2 classification.

Fail = ignition of the paper (d2 classification).



| If.f. Building European Industrial Park,No.f. Sturnheran Road, Wustra Section, Dalaing Town, Shunde Frishan, Guargetong, China 528333 t (86—757)22805888 f (86—757)22805858 www.sgs.group.com.cn 中国·广东·佛山市顺德区大良街道办事处五沙颇和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86—757)22805888 f (86—757)22805858 e sgs.china@sgs.com

^b For any external non-substantial component of non-homogeneous products.

^c For any internal non-substantial component of non-homogeneous products.

^d For the product as a whole.

e s1 = SMOGRA ≤ $105m^2/s^2$ and $TSP_{600s} \le 250m^2$; s2 = SMOGRA ≤ $580m^2/s^2$ and $TSP_{600s} \le 1600m^2$; s3 = not s1 or s2

f d0 = No flaming droplets/ particles in EN 13823 within 600 s;

^g Pass = no ignition of the paper (no classification);

^h Under conditions of surface flame attack and, if appropriate to the end–use application of the product, edge flame attack.



Test Report


No. SDHG1603003929FB

Date: Apr.08, 2016

Page 5 of 5

SAMPLE INFORMATION AND PICTURES







After Test (EN 13823)

End of Report



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sore responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com

1 Ft Building European Industrial Park No.1 Sturnherean Road, Wustha Section, Dafarry Town, Shurnde-Fostran, Guangdong, China 528333 t (86-757) 22805888 f (86-757) 22805888 www.sgsgroup.com.cn 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编:528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com